




Z1Stock.004 TM Z1000 all stock 4/1/2003 10:25:18 AM
Z1 S-on.005 TM Z1000 TBR C-5 Slip-ons 4/1/2003 10:41:08 AM

Two Brothers Racing www.twobros.com 714-550-6070



Name: ZIStock.004

Title: TM Z1000 all stock

Run Date and Time: 4/1/2003 10:25:18 AM

Acceleration from 2000 to IIOORPM, interval = 500.00RPM

Absolute barometric pressure : 29.69 in.Hg.

Vapor pressure : 0.3 in.Hg.

Intake air temperature : 74.6 of

Gear Ratio : 87.54 RPM/MPH

Correction Factor : 0.99 SAE

TIME RPM POWER TORQUE

0.00 2000 13.4 35.2

0.67 2500 18.5 38.9

1.23 3000 27.3 47.8

1.72 3500 34.2 51.3

2.19 4000 41.0 53.9

2.64 4500 46.3 54.1

3.09 5000 51.8 54.4

3.55 5500 55.9 53.3

4.01 6000 63.9 55.9

4.43 6500 75.2 60.7

4.82 7000 84.8 63.6

5.20 7500 94.6 66.2

5.57 8000 103.4 67.9

5.94 8500 107.6 66.5

6.31 9000 112.2 65.5

6.69 9500 118.8 65.7

7.08 10000 122.5 64.3

7.47 10500 119.8 59.9

7.91 11000 92.9 44.4

Column Max

122.5 67.9

Column Min

13.4 35.2

Column Average

72.9 56.3

Name: ZI S-on.005

Title: TM Z1000 TBR C-5 Slip-oDS

Run Date and Time: 4/1/2003 10:41 :08 AM

Acceleration from 2000 to 11000RPM, interval = 500.00RPM

Absolute barometric pressure : 29.71 in.Hg.

Vapor pressure : 0.29 in.Hg.

Intake air temperature : 75.9 of

Gear Ratio : 87.80 RPM/MPH

Correction Factor : 0.99 SAE

TIME RPM POWER TORQUE

0.00 2000 13.7 35.9

0.70 2500 17.5 36.8

1.27 3000 27.0 47.3

1.76 3500 33.2 49.8

2.24 4000 40.6 53.3

2.68 4500 47.5 55.5

3.12 5000 52.9 55.6

3.57 5500 58.2 55.5

4.00 6000 67.5 59.1

4.39 6500 80.8 65.3

4.76 7000 87.9 66.0

5.13 7500 95.4 66.8

5.49 8000 104.2 68.4

5.85 8500 109.8 67.8

6.22 9000 113.9 66.4

6.59 9500 119.8 66.2

6.97 10000 124.3 65.3

7.36 10500 124.2 62.1

7.78 11000 98.7 47.1

Column Max

124.3 68.4

Column Min

13.7 35.9

Column Average

74.6 57.4